

turnitin unesa1

251 Similarity



Document Details

Submission ID

trn:oid:::3618:145781393

Submission Date

Jul 17, 2026, 4:08 AM GMT+7

Download Date

Jul 17, 2026, 4:12 AM GMT+7

File Name

251 Similarity.pdf

File Size

362.3 KB

1 Page**607 Words****3,364 Characters**

6% Overall Similarity

The combined total of all matches, including overlapping sources, for each database.

Filtered from the Report

- Bibliography

Exclusions

- 3 Excluded Matches

Match Groups

-  **3 Not Cited or Quoted 3%**
Matches with neither in-text citation nor quotation marks
-  **2 Missing Quotations 3%**
Matches that are still very similar to source material
-  **0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
-  **0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 5%  Internet sources
- 3%  Publications
- 0%  Submitted works (Student Papers)

Integrity Flags

0 Integrity Flags for Review

Our system's algorithms look deeply at a document for any inconsistencies that would set it apart from a normal submission. If we notice something strange, we flag it for you to review.

A Flag is not necessarily an indicator of a problem. However, we'd recommend you focus your attention there for further review.

Match Groups

- 3 Not Cited or Quoted 3%**
Matches with neither in-text citation nor quotation marks
- 2 Missing Quotations 3%**
Matches that are still very similar to source material
- 0 Missing Citation 0%**
Matches that have quotation marks, but no in-text citation
- 0 Cited and Quoted 0%**
Matches with in-text citation present, but no quotation marks

Top Sources

- 5% Internet sources
- 3% Publications
- 0% Submitted works (Student Papers)

Top Sources

The sources with the highest number of matches within the submission. Overlapping sources will not be displayed.

1	Internet		
	www.mdpi.com		2%
2	Publication		
	Joseph F. Bonner, Oswald Steward. "Repair of spinal cord injury with neuronal rel...		1%
3	Internet		
	www.omicsonline.com		1%
4	Internet		
	journal.i-ros.org		1%



Functionalization of L-Cystein On Magnetite As Magnetic Adsorbent Metals for SDG 14

Amaria*, Dina Kartika Maharani, Amalia Putri Purnamasari, Sari Edi Cahyaningrum, Aisha Setiyanti

State University of Surabaya, Surabaya, Indonesia



DOI : <https://doi.org/10.63230/jocsis.3.1.251>

Sections Info

Article history:

Submitted: May 3, 2025
 Final Revised: June 2, 2025
 Accepted: July 16, 2027
 First Available Online: July 16, 2026
 Publication Date: March 27, 2027

Keywords:

Fe₃O₄@Cys
 L-Cysteine
 Magnetic adsorbent
 Silica coating, enviromental

ABSTRACT

Objective: The increasing consumption of gold (Au) in the electronics, catalysis, and medical sectors has led to the depletion of primary ore resources while increasing the accumulation of electronic waste (e-waste) which reaches 62 million tons per year globally. Therefore, the development of selective, efficient, and environmentally friendly Au(III) recovery technology from secondary sources is very urgent. This study aims to synthesize and characterize magnetic adsorbents based on magnetite (Fe₃O₄@Cys) functionalized with L-Cysteine (Fe₃O₄@Cys) and evaluate its performance in the recovery of Au(III) ions from aqueous solutions. **Method:** L-Cysteine was chosen because it contains a thiol group (-SH) which has a high affinity for Au(III) based on the hard-soft acid-base (HSAB) theory. The synthesis was conducted through silica coating followed by L-cysteine immobilization using GPTMS as a coupling agent. **Results:** FTIR analysis confirmed the presence of Fe-O, Si-O-Si, and Si-OH groups, indicating successful functionalization. XRD results showed that the magnetite crystal structure was retained after modification, with a crystallite size of 16.43 nm and the presence of amorphous silica. **Novelty:** The synthesized Fe₃O₄@Cys exhibited good acid stability, demonstrating its potential as a selective magnetic adsorbent for Au(III) recovery from secondary resources.

INTRODUCTION

The demand for gold (Au) has increased significantly in recent decades, driven by its widespread use in the electronics industry, catalysis, dentistry, and as a financial investment (Lu et al., 2020; Shukla et al., 2023; Zhou et al., 2021). However, the scarcity of natural resources and the depletion of high-grade gold ore reserves have prompted the need to explore alternative sources, such as mining tailings and electronic waste (e-waste) (Hut et al., 2023; Lahtinen et al., 2017; Neag et al., 2020; Rao et al., 2020; UNITAR, 2024). It is estimated that one ton of used mobile phones contains approximately 340 grams of gold, which is a much higher grade compared to primary ores (Gómez et al., 2023; Kubota et al., 2019). Therefore, the development of efficient and environmentally friendly technologies for the recovery of Au(III) from these secondary sources is crucial.

Various methods have been developed for gold recovery, including chemical precipitation, solvent extraction, ion exchange, and adsorption (Kim et al., 2024; Perez et al., 2019; Yang et al., 2024). Among these methods, adsorption is considered the most promising approach due to its relatively low operational costs, simple process design, and effectiveness at low metal concentrations (Chen et al., 2022; Chillè et al., 2022; Liu et al., 2022). A number of adsorbent materials have been explored, such as activated carbon, resins, biomass, and metal organic frameworks (MOFs) (Chen et al., 2023; Sheraz et al., 2024; Wang et al., 2023). However, the main challenges often encountered are the low selectivity toward Au (III) in the presence of other interfering metal ions (such as Cu (II), Zn (II), and Ni (II)), as well as the difficulty in separating the adsorbent